

BIO-FLOW

COMPLETE GREASE TRAP
MAINTENANCE SYSTEM

BACTERIAL DIGESTANT
FORTIFIED ENZYME SYSTEM
DUAL ODOR CONTROL

CAUTION

May irritate eyes. See side panel for
additional precautions and first aid instructions.

KEEP OUT OF REACH OF CHILDREN

Sold By:

DIRECTIONS

FOR RESTAURANTS OPEN 24 HOURS: Drip, pour or pump digestant directly into drains with BIO-PUMP during low flow periods, usually once during the day after lunch and once at night between midnight and 6 am. See chart below for daily dosage rates.

FOR RESTAURANTS OPEN FOR LUNCH & DINNER ONLY: Drip, pour or pump digestant directly into drains with BIO-PUMP between midnight and 6 a.m. See chart below for daily dosage rates.

FOR SINKS & FLOOR DRAINS: Use 2 - 6 ounces once per week, or 4 - 12 ounces bi-weekly during low flow periods. Use the highest dosage for drains that receive large amounts of organic matter.

DESCRIPTION

The continuous use of this digestant drastically reduces plumbing maintenance costs and reduces pump-out frequency, making it the ideal grease trap maintainer. It utilizes the latest biological technology to keep grease traps and drain lines free from clogs and foul odors. The facultative bacteria offer greater continuous digestion while its spore-form allows it to resist chlorine, disinfectants and high water temperatures.

GREASE TRAP CAPACITY	INTERVAL BETWEEN DOSAGE	5 GAL. PAIL CHANGES
Less Than 100 gals	10 ozs.	60 days
101 - 250 gals	21 ozs.	30 days
251 - 500 gal	42 ozs.	15 days
501 - 750 gals	64 ozs.	10 days
751 - 1000 gals	86 ozs.	7 days

This powerful digestant also contains special enzymes that immediately break down starch and complex carbohydrates to energize the bacterial replication of our five distinct bacterial strains. Unlike detergents that simply push grease into sewer lines, these bacterial strains work together to quickly and naturally degrade organic waste. This process not only eliminates greasy accumulations, but also helps eliminate obnoxious odors at the molecular level while a pleasant fragrance keeps traps and plumbing lines smelling fresh.


KEEP FROM FREEZING.

CAUTION

May irritate eyes. Avoid contact with eyes and repeated or prolonged contact with skin. If splashed in eyes, flush with plenty of cool water for at least 15 minutes. If irritation persists contact a physician. Store at temperatures above 32°F and below 100°F.

KEEP OUT OF REACH OF CHILDREN

This product contains	CAS Number
Water	7732-18-6
Bacteria Cultures	No CAS #
Sodium Alkyl Ether Sulfate	68585-34-2



543071901

NET CONTENTS: One gallon (128 fl. oz.)